

AQUA[®]max *Alpha*

Alkaline electrolysed "water" plus α [Alkaline raw water]

Sterilising / deodourising / degreasing

※pH 13.0

nax- Earth Care Products



Container
Min shipping unit
JAN

Spray bottle / 500ml
20 bottles
4562298171023



Bottle / 1 litre
10 bottles
4562298171054



Bottle / 4 litre
5 bottles
4562298171092



Cube container / 20 litre
1 container
4562298171108

※ Liquid: Alkaline (Raw water pH 13.0 / 24°C)





Alkaline electrolysed "water" plus α
 【Alkaline raw water ※pH 13.0】

What is AQUAnax[®] Alpha

AQUAnax α is generated by applying electricity to OH-ion creating a reduction reaction by electrolysis and having its hydrogen-ion density at pH 13.1. It's main component is high density, highly alkaline electrolysed water with hydrogen-ion density at pH 13.1. Plant fatty acids etc, that finely break down oil stains are added via a special production methods! It displays a powerful cleaning power.

Features of AQUAnax[®] Alpha

Safe & effective in cleaning

It maintains similar cleaning capacity as sodium hydroxide (caustic soda).

Hazardous material specified by the PRTR (Pollutant Release and Transfer Register) is not used.

Breaking down process

Being strongly alkaline, AQUAnax is highly effective in removing protein and oil.

Sterilisation • virus deactivation • Deodourisation

Tests have verified that AQUAnax raw water kills various endogenous bacteria (such as Escherichia coli, Pseudomonas aeruginosa, Salmonella, Enteritis vibrio) and deactivates viruses (such as norovirus).

※ Reference: "AQUAnax Bactericidal Efficiency Test" conducted by a third party organization.

AQUAnax α can be diluted by tap water!

Permeability

Molecules are ultrafine; thus permeability is very high. It can even permeate into a water-proof watch.








Prevents static

It does not attract dust as negative ion effective prevents static.

Prevents corrosion

Having a low oxidation-reduction unit, AQUAnax suppresses the function of active oxygen and prevents rust from forming.

AQUAnax[®] (pH 13.0) • Application & dilution guide

A P P L I C A T I O N	Cleaning machinery and degreasing equipment, etc  	Degreasing and cleaning machinery, etc   	Cleaning filter of dust collector, etc  
	Dilution factor pH	10 fold dilution	5 fold dilution
U A G E	① Spray the object directly with AQUAnax α and wipe off. ② For touch oil stains, spray with AQUAnax α and scrub with a brush. ③ Soak a towel with AQUAnax α in a bucket and wring. Wipe the object with the towel. ④ Soak the object with AQUAnax α in a bucket for 5-10 minutes. Rinse off after dirt has lifted.		



For product information, orders and query

<http://www.naxdv.com/>